



DUNCANEQUINE
GROUP

New Zealand Retail
PRODUCT GUIDE



DUNCANEQUINE
GROUP

We know fencing like we know horses

Our business has something in common with every customer; every member of our team is an accomplished performance horse rider/breeder and owner. We know horses! Our Stallion Rail product has the most advanced technology available on the market, providing exceptional safety for your horses and the longevity you need for years to come.



Our story started over 30 years ago. Director Ben Duncan decided there had to be a better and safer option for fencing his father's Thoroughbred property in a sleepy little nook south of Busselton, Western Australia. Like many horse owners, they had experienced the damage and loss of horses in wire fences.

Ben's journey to bring his dreams into fruition and reality have seen him take many different directions along the road. Still, his passion for horses and their safety has continued to be his driving force to create the ultimate fencing system for all horse owners.

Thinking and looking outside of the square has been Ben's most vital ability. His knowledge comes from years of experience, dedication, and commitment, and this is something we can proudly say stands us above all others. Our passion for horses and their safety is still our driving force over 30 years later. Our deep love for our horses means we have committed ourselves to continuously striving for a safer option of horse fencing. Our longevity in the horse industry has given us unsurpassed reliability and credibility no other fencing company can match.

Our mission has been to develop a complete, safe horse fencing system. One that delivers the whole package and doesn't leave our customers still scratching their heads. We wanted the ultimate in safety across the entire paddock.

From rail to posts to gates and corner posts. We have researched, developed and tested our products on our horses first to make sure we deliver you products we know work.

Products

Stallion Rail Extreme	4
Stallion Rail	5
Stallion Rail Insulated Brackets	6
Stallion Rail Brackets	7
Shockcoat	9
Shockcoat Brackets	10
Fencing	12
Steel Products.....	13
Fencing Accessories	14
Feeders & Waterers	15
Ordering Guide.....	16
Installation Support.....	18



STALLIONRAIL

The Smarter Alternative to Post & Rail Fencing



LOW MAINTENANCE

Stallion Rail will not rot or deteriorate, having passed ISO 4892-2 testing. No more painting fences.



EASY & QUICK TO INSTALL

Stallion Rail is a complete fencing system that is quicker to install than timber, with installation guides provided.



ELECTRIFIABLE

Stallion Rail Ultra and Extreme have electrifiable edges.



FLEXIBLE FOR SAFETY

Stallion Rail can support horses and assist them onto their feet with minimal injury to themselves or the fencing.



PREVENT BAD HABITS

Prevent chewing, cribbing and damage with our electrifiable options.




WARRANTY

Premium New Zealand Warranty, 30 years for Stallion Rail and 15 years for Stallion Rail Ultra and Extreme.

"When we looked at the Stallion Rail it seemed to solve a lot of problems. We were having trouble sourcing good-quality timber. The team at Duncan Equine have been great to deal with. There's that level of trust, honesty and integrity. They're happy to share their knowledge with our fencing team. With the value of horses today, it's important to put them behind the safest fence possible. With the Stallion Rail we've used, I think we've built the safest paddocks. Duncan Equine has a complete fencing system. Not only are they safe and cost-effective, they also look great. Certainly, horses look great behind Stallion Rail."

Antony Thompson, Widden Stud





STALLIONRAIL

EXTREME



Stallion Rail Extreme

Electric top and bottom

Superior flexible rail with the ability to be electrified on both the top and the bottom edge of the rail. Made using advanced technology molecular bonding of the carbon fibre to the top and bottom wires, Stallion Rail Extreme delivers superior electrical conductivity on both edges of the rail, while maintaining flexibility and low maintenance capabilities. Manufactured using premium grade UV stabilised medium density polyethylene. Suitable for all types of horses and ponies.

Packaged on a standard pallet stacks of up to 12

4" (108 mm) wide
Weight: 100m (31 kg)
200m (62 kg)


Colour:



Black



White





STALLIONRAIL

Stallion Rail

Non-Electric

Non-electric rail designed for horse arenas and areas of fencing where electrics are not required. Using the latest technology in molecular bonding of the stabilizing wires, Stallion Rail maintains strength and integrity with flexibility and low maintenance. Manufactured using premium grade UV stabilized medium density polyethylene. Suitable for all types of horses and ponies.

Packaged on a standard pallet stacks of up to 12

Colour:




Black



White

4" (108 mm) wide

Weight: 100m (31 kg)
200m (62 kg)



Insulated Brackets

Suitable for Stallion Rail Ultra / Extreme



STALLION RAIL STRAIGHT END BRACKET



Insulated heavy duty steel, hot dipped and powder coated bracket. Ideal for attaching to round, steel or timber posts.

Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

STALLION RAIL 45° END BRACKET



Insulated heavy duty steel, hot dipped and powder coated bracket. Attaching end, set on 45deg angle. Ideal for attaching to round, steel or timber posts.

4" Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

STALLION RAIL TOP CORNER BRACKET



Insulated heavy duty steel hot dipped and powder coated bracket. Allows the rail to run continuously around corners and curves. Used on top rail.

4" Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

STALLION RAIL SIDE CORNER BRACKET



Insulated heavy duty steel hot dipped and powder coated bracket. Allows the rail to run continuously around corners and curves. Used on second, third and fourth rails.

4" Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

STALLION RAIL SIDE T BRACKET



Insulated heavy duty steel, hot dipped and powder coated bracket. Ideal for attaching to square, round, steel or timber posts. Includes two straight ends.

4" Sold individually or box of 25

(5" Special Order)

Colour / Size:



Black 4"



White 4"

STALLION RAIL TOP T BRACKET



Insulated heavy duty steel, hot dipped and powder coated bracket. Ideal for attaching to square, round, steel or timber posts. Includes two straight ends.

4" Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

Brackets

Suitable for all Stallion Rail Products



STALLION RAIL JOINER



Heavy duty steel hot dipped and powder coated joining bracket.

Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

STALLION RAIL TOP BRACKET



Heavy duty plastic top bracket for attaching top rail.

Sold individually, packs of 25 or boxes of 350

Colour / Size:



Black 4"



White 4"

STALLION RAIL SIDE BRACKET



Heavy duty plastic side bracket for attaching rail to the side of the post.

Sold individually, packs of 25 or boxes of 350

Colour / Size:



Black 4"



White 4"

STALLION RAIL TENSIONER



Heavy duty steel hot dipped and powder coated spooler for tensioning rail.

Sold individually or box of 20

Colour / Size:



Black 4"



White 4"

STALLION RAIL SWIVEL JOINING BRACKET



Insulated heavy duty steel, hot dipped and powder coated bracket with two Straight End Brackets included.

Sold individually or box of 25

Colour / Size:



Black 4"




White 4"

Brackets

Suitable for Non-Electric Stallion Rail only



STALLION RAIL NON INSULATED STRAIGHT END BRACKET



Heavy duty steel hot dipped and powder coated end bracket.

Sold individually or box of 25

Colour / Size:




Black 4"



White 4"

STALLION RAIL NON INSULATED 45° END BRACKET



Heavy duty steel hot dipped and powder coated bracket.

Attaching end, set on 45 deg angle for attaching to round timber posts.

Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

STALLION RAIL NON INSULATED TOP CORNER BRACKET



Non insulated heavy duty steel hot dipped and powder coated bracket. Allows the rail to run continuously. Used on top rail.

Sold individually or box of 25

Colour / Size:



Black 4"



White 4"

STALLION RAIL NON INSULATED SIDE CORNER BRACKET



Non insulated heavy duty steel hot dipped and powder coated bracket. Allows the rail to run continuously around corners or curves. Used on second, third and fourth rails.

Sold individually or box of 100

Colour / Size:



Black 4"




White 4"

SHOCK COAT


Shockcoat

The ultimate coated wire for horses, Shockcoat is a first-class superior conductor of electricity. Its capabilities are second to none; with endless possibilities for fencing configurations when combined with Stallion Rail or used as your main fencing choice. High Tensile wire has been skilfully encased using state of the art manufacturing techniques. This has greatly improved the molecular bonding of the conductive carbon compound to the wire as well as the UV stabilised Medium Density Polyethylene. Shockcoat is the safest alternative to plain wire or electric tapes and ropes.



8mm diameter
Weight: 200m (16kg)
400m (32kg)

Optional Timber Reel:



Brackets

Suitable for Shockcoat only



SHOCKCOAT PLASTIC INSULATOR



Insulated heavy duty plastic insulator which sits flush against the post. Ideal for timber or plastic posts.

Sold individually or in packs of 25

Colour / Size:



Black 4"



White 4"

SHOCKCOAT STRAIGHT END BRACKET



Insulated heavy duty steel hot dipped and powder coated bracket. Ideal for attaching to timber or steel posts.

Sold individually or in packs of 25

Colour / Size:



Black 4"



White 4"

SHOCKCOAT 45° END BRACKET



Insulated heavy duty steel hot dipped and powder coated bracket. Attaching end, set on 45 deg angle. Ideal for attaching to round timber posts.

Sold individually or in packs of 25

Colour / Size:




Black 4"



White 4"

SHOCKCOAT HEAVY DUTY CORNER ROLLER



Insulated heavy duty galvanised corner roller for attachment to timber or steel to allow the wire to continuously run around bends of over 45 deg

Sold individually or in packs of 25

Brackets



Suitable for Shockcoat only

SHOCKCOAT COATED WIRE JOINER



Heavy duty steel hot dipped and powder coated joiner for joining two ends of Shockcoat together.

**Sold individually
or in packs of 50**

Colour / Size:



Black 4"



White 4"

SHOCKCOAT TENSIONER



Heavy duty steel hot dipped and powder coated round tensioner for tensioning Shockcoat.

**Sold individually
or in packs of 20**

Colour / Size:



Black 4"



White 4"




PREMIUM PVC ROUND FENCING POST



Our PVC posts are made from ASA/PVC co-extrusion material. The surface is an ASA material which is the best outdoor plastic for UV resistance, with a thick virgin PVC wall to give strength and rigidity.

The perfect post! Tough enough to be driven in with any post rammer however flexible enough to not snap or injure your horse if they hit it. (Soil type and time of year may require a pilot hole)

Colour:



Length: 2.1m Diameter: 120mm
Sold individually or crates of 80
Post Cap Included

GALVANISED STEEL ROUND STRAINER POST



Used as a strainer post in conjunction with the galvanized rail. Steel strainers will outlast any timber strainer / box assembly.

Thickness: 4mm
Size: 100nb x 3m
2.4m also available
Post Cap Included

STEEL GALVANISED OVAL RAIL



Recommended for constructing strainers, box assemblies and small yards. Easily connected with Ezyends.

Size: 115 x 42 x 2mm x 3.1m

HEAVY DUTY HORSE SAFE GATE



50 x 50mm mesh gates designed to eliminate horses and foals getting their feet caught. Oval rail top and bottom for extra visibility, strength and safety. Squared corners and hinged.

Sizes: 2.4m, 3m, 3.6m, 4.2m

Colours: Galvanised Steel, Black Powder Coat

To suit gap size: 2.4m (actual length 2,350mm)

3m (actual length 2,950mm)

3.6m (actual length 3,550mm)

4.2m (actual length 4,150mm)



Colour:



Black



Galvanised




Designed by Duncan Equine

EzyEnd has been designed to make your life easier:

- ☒ Eliminates the need for welding.
- ☒ High quality galvanized steel - no rust.
- ☒ Easily drilled to steel or timber posts.
- ☒ A unique design with a curved option for round posts or a flat option for square posts and flat surfaces.


EZYEND CURVED



Heavy duty steel hot dipped and powder coated joining bracket.

Sold individually or box of 20

EZYEND STRAIGHT




Heavy duty steel hot dipped and powder coated joining bracket.

Sold individually or box of 20


Fencing Products

TENSIONING TOOL 2 IN 1 EXTENDED RATCHET HANDLE



2 x Sets of Ratchets are inserted into the end of this tool.
Allows you to tension the spooler with one hand while inserting the pins. Suitable for using with both Stallion Rail and Shockcoat.

GALVANISED SPINNER



Make your installation even easier by rolling out two rolls at the same time. (Wire not included)

Suitable for both rail and coated wire products.

STALLION RAIL BENDING TOOL



Helps bend the end of Stallion Rail into the End Brackets.

Available in 4"

GALVANISED TEK SCREW



Galvanised screws used for attaching brackets to steel posts.

**Sold individually
or boxes of 1000**

TEK SCREW



Available in black, white.
Used for attaching brackets.

**Sold individually
or boxes of 1000**

COLOUR: Black
White

COACH SCREW



12mm galvanised coach screw used for attaching end brackets to timber posts.

Sold individually

Feeders & Waterers

Designed by Duncan Equine, Manufactured in Australia



Paddock Feeder



30% bigger than any paddock feeder on the market with a large base to prevent tipping.

Size: 94 x 94 x 27cm
52L Capacity

Flush Mount Feed Bin



Mount this feed bin anywhere! These feed bins work well in horse shelters, horse stables and yards. Made from High Molecular Weight Polyethylene HMWPE they come with specially designed attaching brackets that stop the horse lifting the bin off the supplied wall bracket.

Size: 55 x 56 x 36cm
48L Capacity

Automatic Waterer



Durable automatic waterers that are perfect for stables, yards or small paddocks. Made from High Molecular Weight Polyethylene HMWPE, they include mounting brackets and float.

Size: 55 x 56 x 36cm
48L Capacity

Product SKU's

CATEGORY	PRODUCT	COLOUR	SIZE	LENGTH	SKU
STALLION RAIL EXTREME	Stallion Rail Extreme	Black	4"	100m	BL4100STRE
	Stallion Rail Extreme	Black	4"	200m	BL4200STREXT
	Stallion Rail Extreme	White	4"	100m	WH4100STRE
	Stallion Rail Extreme	White	4"	200m	WH4200STRE
STALLION RAIL NON-ELECTRIC	Stallion Rail Non-Electric	Black	4"	100m	BL4100STR
	Stallion Rail Non-Electric	Black	4"	200m	BL4200STRAIL
	Stallion Rail Non-Electric	White	4"	100m	WH4100STR
	Stallion Rail Non-Electric	White	4"	200m	WH4200STR
SR INSULATED BRACKETS	SR Straight End Bracket	Black	4"		LH005
	SR Straight End Bracket	White	4"		LH005WH
	SR 45° End Bracket	Black	4"		LH006
	SR 45° End Bracket	White	4"		LH006WH
	SR Top Corner Bracket	Black	4"		LH008
	SR Top Corner Bracket	White	4"		LH008WH
	SR Side Corner Bracket	Black	4"		LH007
	SR Side Corner Bracket	White	4"		LH007WH
	SR Side T Bracket	Black	4"		LH036
	SR Side T Bracket	White	4"		LH036WH
	SR Top T Bracket	Black	4"		LH037
	SR Top T Bracket	White	4"		LH037WHA
	SR Rail Joiner	Black	4"		LH019
	SR Rail Joiner	White	4"		LH019WH
	SR Top Bracket	Black	4"		LH014
	SR Top Bracket	White	4"		LH014 WH
	SR Side Bracket	Black	4"		LH013
	SR Side Bracket	White	4"		LH013 WH
	SR Tensioner	Black	4"		LH010
	SR Tensioner	White	4"		LH010 WH
	SR Swivel Joining Bracket (incl 2 ends)	Black	4"		LH043A
	SR Swivel Joining Bracket	Black	4"		LH043
	SR Swivel Joining Bracket (incl 2 ends)	White	4"		LH043WHA
	SR Swivel Joining Bracket	White	4"		LH043WH
SR NON-INSULATED BRACKETS	SR Non-Insulated Straight End Bracket	Black	4"		LH020
	SR Non-Insulated Straight End Bracket	White	4"		LH020WH
	SR Non-Insulated 45° End Bracket	Black	4"		LH021
	SR Non-Insulated 45° End Bracket	White	4"		LH021WH
	SR Non-Insulated Top Corner Bracket	Black	4"		LH042
	SR Non-Insulated Top Corner Bracket	White	4"		LH042WH
	SR Non-Insulated Side Corner Bracket	Black	4"		LH041
	SR Non-Insulated Side Corner Bracket	White	4"		LH041WH
CATEGORY	PRODUCT	COLOUR	SIZE	LENGTH	SKU
SHOCKCOAT	Shockcoat	Black		200m	BL200SHOCK
	Shockcoat	Black		400m	BL400SHOCK
	Shockcoat	Black		200m on Timber Reel	BL400SHOCKWTR
	Shockcoat	Black		400m on Timber Reel	BL200SHOCKWTR
	Shockcoat	White		200m	WH200SHOCK
	Shockcoat	White		400m	WH400SHOCK
	Shockcoat	White		200m on Timber Reel	WH200SHOCKWTR
	Shockcoat	White		400m on Timber Reel	WH400SHOCKWTR

Product SKU's

CATEGORY	PRODUCT	COLOUR	SIZE	LENGTH	SKU
SHOCKCOAT BRACKETS	Shockcoat Plastic Insulator	Black			LH012
	Shockcoat Plastic Insulator	White			LH012 WH
	Shockcoat Straight End Bracket	Black			LH003
	Shockcoat Straight End Bracket	White			LH003 WH
	Shockcoat 45° End Bracket	Black			LH004
	Shockcoat 45° End Bracket	White			LH004 WH
	Shockcoat Plastic Insulator	Black			LH012
	Shockcoat Plastic Insulator	White			LH012 WH
	Shockcoat Joiner	Black			LH039
	Shockcoat Joiner	White			LH039WH
	Shockcoat Tensioner	Black			LH010 SMALL
	Shockcoat Tensioner	White			LH010 SMALL WH
	Shockcoat Heavy Duty Corner Roller				LH044
PVC POSTS	PVC POST	Black	120mm	2.1m INCL CAP	BLPVCP21IC
	PVC POST	White	120mm	2.1m INCL CAP	WHPVCP21IC
STEEL PRODUCTS	Heavy Duty Horse Safe Gate	Black	2.4M		BLPGATE24
	Heavy Duty Horse Safe Gate	Black	3M		BLPGATE3
	Heavy Duty Horse Safe Gate	Black	3.6M		BLPGATE36
	Heavy Duty Horse Safe Gate	Black	4.2M		BLPGATE42
	Heavy Duty Horse Safe Gate	Galvanised	2.4M		GALGATE24
	Heavy Duty Horse Safe Gate	Galvanised	3M		GALGATE3
	Heavy Duty Horse Safe Gate	Galvanised	3.6M		GALGATE36
	Heavy Duty Horse Safe Gate	Galvanised	4.2M		GALGATE42
	Steel Round Strainer Post	Galvanised	100nb	3m	GALSP340IC
	Steel Round Strainer Post	Galvanised	100nb	2.4m	GALSP2400IC
	Steel Oval Rail	Galvanised	115x42x2mm	3.1m	GALOVR31
	Ezyend Curved	Galvanised			GALEZYC
	Ezyend Straight	Galvanised			GALEZYST
FEEDERS & WATERERS	Paddock Feeder		52L		PADFEED52
	Flush Mount Feed Bin		48L		FLUFEED48WB
	Automatic Waterer		48L		AUTOWAT40
FENCING PRODUCTS	Tensioning Tool - 2 in 1 Ext Ratchet Handle		4"		RATCH 21IR
	Galvanised Stallion Rail Spinner				GALSTRSPIN
	Tek Screw	Galvanised	14g	30mm	GAL30TEKST
	Tek Screw	Black	12g	40mm	BL40TEKSC
	Tek Screw	White	12g	40mm	WH40TEKSC
	Coach Screw			12mm	GALCS12
	Riv Nut		M12 4-6 16mm	16mm	RIVNUTM12N
	Stallion Rail Bending Tool		4"		LH038

Installation Support

Visit our website duncanequine.com.nz
for installation videos and step-by-step
guides to help you every step of the way.

If you need additional support
call [027 288 4965](tel:0272884965)



INSTALLATION
GUIDES



DUNCANEQUINE
GROUP

Call [027 288 4965](tel:0272884965)

Email info@duncanequine.co.nz
www.duncanequine.co.nz

